APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office _	JAN 31 1997
Returned to applicant for correction	MAR 03 1997
Corrected application filed	
Map filed	MAR 19 1997

The applicant Joey DeBlanco , hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.	

1. The source of the proposed appropriation is Underground	
2. The amount of water applied for is 1800 gallons per day second-feet	
(a) If stored in reservoir give number of acre-feet	
3. The water to be used for Commercial/Domestic	
4. If use is for:	•
(a) Irrigation, state number of acres	s to be irrigated
(b) Stockwater, state number and kind	ds of animals to be watered
(c) Other use (describe fully under M	No. 12. "Remarks") See 12
(d) Power: (1) Horsepower developed	•
(2) Point of return of water to	o stream
5. The water is to be diverted from its source at the following point Within the SW% of the SE% of Section 29, Township 19S, Range 62E. Point of diversion is on a line that bears N 29°03′10" E from the SW corner of the SE% of Section 29 a distance of 1002.09′.	
6. Place of Use Within the N½ of the SW% of the SE% of Section 29, Township 19S, Range 62E, containing 4.86 acres. More particularly described as Lot 2 of Parcel Map File 42, Page 89 @ Clark County Assessors Office.	
7. Use will begin about Jan. 1 and end ab	out Dec-31, of each year.
8. Description of proposed works Drilled well w/Pump & Motor	
9. Estimated cost of works \$14,000.00	
10. Estimated time required to construct works 2 yrs.	
11. Estimated time required to complete the 3 yrs.	application of water to beneficial use
12. Remarks: The water use will be for washing trucks and to supply a modular office trailer with one sink and one toilet.	
	By s/Joey DeBlanco 5500 Mustang North Las Vegas, NV 89130
Compared cms/bk	

WITHDRAWN BY APPLICANT JUN 2 4 1998

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: